

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... FEB. 23, 1972

Returned to applicant for correction.....

Corrected application filed.....

Map filed Feb. 23, 1972 under 26575

(Request all correspondence be to the
The applicant White Pine Lumber Co. attention of S. Jaksick, Jr. at the
address below)
of 235 Ralston Street, County of Reno,

State of Nevada 89503, hereby make application for permission to appropriate the public
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion; if a copartnership or association, give names of members.) Incorporated September 24, 1952,
State of Nevada.

1. The source of the proposed appropriation is Underground well #5

Name of stream, lake or other source.

2. The amount of water applied for is 2.0, second-feet

One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet, acre-feet

3. The water to be used for Quasi-Municipal and Domestic

Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: being within the N.W. ¼ of the
N.E. ¼ of Section 34, Township
19 North, Range 19 East, M.D.B.&M., and bearing South 64° - 35' 17"
West 1758.77 feet from the N. E. corner of said Section 34.

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

it should be stated to be a portion of the East ½ of said Section 34 as follows:

6. Place of use 10.2 acres in the N.W. ¼ of the N.E. ¼, 28.0 acres in the S.W. ¼
Describe by legal subdivision, if on unsurveyed land it should be so stated.

of the N.E. ¼, 36.4 acres in the S.E. ¼ of the N.E. ¼, 12.4 acres in the NW ¼
of the S.E. ¼, and 36.4 acres in the N.E. ¼ of the S.E. ¼ along with a portion
of the West ½ of Section 35, Township 19 North, Range 19 East, M.D.B.&M.
as follows: 8.8 acres in the S.W. ¼ of the N.W. ¼, 39.7 acres in the N.W. ¼
of the S.W. ¼, and 11.0 acres in the N.E. ¼ of the S.W. ¼.

7. Use will begin about January 1 and end about December 31, of each year.

Month

Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans

and specifications of your diversion or storage works.) Drilled well, pump, motor, distri-

bution system.....

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....\$20,000.....
10. Estimated time required to construct works.....5 years.....
11. Estimated time required to complete the application to beneficial use.....10 years.....
12. Remarks The total diversion shall not exceed 200.75 M.G. annually from
this source or any other source connected with this project as shown.
550 Single Family Dwellings

Applicant.....

By s/ Eugene B. Longfield Agent
137 Vassar St.
Reno, Nevada 89502

Compared.....bjg:ga.....ga/jw.....

APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well shall be equipped with a 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.

26576

The total combined diversion under this permit and Permits 26575, 26577, 26578, and 26580 shall not exceed 200.75 mga.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 2.0 cubic feet per second, but not to exceed 200.75 mga.

Actual construction work shall begin on or before March 1, 1973

Proof of commencement of work shall be filed before April 1, 1973

Work must be prosecuted with reasonable diligence and be completed on or before March 1, 1974

Proof of completion of work shall be filed before April 1, 1974

Application of water to beneficial use shall be made on or before March 1, 1977

Proof of the application of water to beneficial use shall be filed on or before April 1, 1977

Map in support of proof of beneficial use shall be filed on or before April 1, 1977

Commencement of work filed JUL 29 1974
Completion of work filed
Proof of beneficial use filed
Cultural map filed
Certificate No.....Issued.....
Recorded.....Bk.....Page.....
County Recorder

IN TESTIMONY WHEREOF, I, ROLAND D. WESTERGARD,
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 1st day of September,

A.D. 1972

Roland D. Westergard
State Engineer